



REMA AluFlex 360 handkettenzug

Produktinformation

The REMA® lightweight aluminium hand chain hoist offers maximum flexibility and safety. Thanks to its 360° rotatable design, you can lift and position loads from virtually any angle, even in confined spaces. Its low weight reduces physical strain on the user, which directly contributes to better ergonomics. Together with its well-thought-out, safe design, you can work quickly, accurately and comfortably.

Features

- Lightweight: Aluminium housing
- 360° rotatable: Full rotation hand chain
- Ergonomic: Operation from almost any angle
- Load pressure brake: Holds loads at any desired height
- Double pawl system
- Compact: Compact design with low installation height
- High-quality European load chain: Complies with EN818-7
- Available in capacities 250 and 500 kg

Standard delivery

- 3 m lifting height. (max. distance between upper and lower hooks).
- 2,5 m operating height.

Option

- Available in any other hoisting and operational heights.

Kennzeichnung: CE-Kennzeichnung, UKCA-marked

| Artikel-Nr. | GTIN Nr. | Tragfähigkeit t | Hubhöhe m | Anzahl der Stränge | Modell | Lastkette mm | Handkette (mm) | Bauhöhe mm | Betätigungskraft (kg) | A | B | C | Hmin mm | Gewicht (kg) | Lieferzeit (in Tagen) |
|-------------|---------------|--------------------|--------------|--------------------|-----------------|--------------|----------------|---------------|-----------------------|------|-----|----|------------|-----------------|-----------------------|
| 0030001-3 | 8717365071805 | 0,25 | 3 | 1 | AF360/250KG/3M | 3,2 x 9,0 | 2,5 x 14,0 | 240 | 14,98 | 89,5 | 84 | 25 | 240 | 2,8 | 7 |
| 0030001-4 | 8717365076428 | 0,25 | 4 | 1 | AF360/250KG/4M | 3,2 x 9,0 | 2,5 x 14,0 | 240 | 14,98 | 89,5 | 84 | 25 | 240 | 3,2 | 7 |
| 0030001-5 | 8717365076435 | 0,25 | 5 | 1 | AF360/250KG/5M | 3,2 x 9,0 | 2,5 x 14,0 | 240 | 14,98 | 89,5 | 84 | 25 | 240 | 3,6 | 7 |
| 0030001-6 | 8717365076442 | 0,25 | 6 | 1 | AF360/250KG/6M | 3,2 x 9,0 | 2,5 x 14,0 | 240 | 14,98 | 89,5 | 84 | 25 | 240 | 4 | 7 |
| 0030001-7 | 8717365076459 | 0,25 | 7 | 1 | AF360/250KG/7M | 3,2 x 9,0 | 2,5 x 14,0 | 240 | 14,98 | 89,5 | 84 | 25 | 240 | 4,4 | 7 |
| 0030001-8 | 8717365076466 | 0,25 | 8 | 1 | AF360/250KG/8M | 3,2 x 9,0 | 2,5 x 14,0 | 240 | 14,98 | 89,5 | 84 | 25 | 240 | 4,8 | 7 |
| 0030001-9 | 8717365076473 | 0,25 | 9 | 1 | AF360/250KG/9M | 3,2 x 9,0 | 2,5 x 14,0 | 240 | 14,98 | 89,5 | 84 | 25 | 240 | 5,2 | 7 |
| 0030001-10 | 8717365076411 | 0,25 | 10 | 1 | AF360/250KG/10M | 3,2 x 9,0 | 2,5 x 14,0 | 240 | 14,98 | 89,5 | 84 | 25 | 240 | 5,6 | 7 |
| 0030003-3 | 8717365076503 | 0,5 | 3 | 1 | AF360/500KG/3M | 4,3 x 12,0 | 3,5 x 20,0 | 270 | 18,7 | 103 | 102 | 30 | 270 | 4,8 | 7 |
| 0030003-4 | 8717365076510 | 0,5 | 4 | 1 | AF360/500KG/4M | 4,3 x 12,0 | 3,5 x 20,0 | 270 | 18,7 | 103 | 102 | 30 | 270 | 5,6 | 7 |
| 0030003-5 | 8717365076527 | 0,5 | 5 | 1 | AF360/500KG/5M | 4,3 x 12,0 | 3,5 x 20,0 | 270 | 18,7 | 103 | 102 | 30 | 270 | 6,4 | 7 |
| 0030003-6 | 8717365076534 | 0,5 | 6 | 1 | AF360/500KG/6M | 4,3 x 12,0 | 3,5 x 20,0 | 270 | 18,7 | 103 | 102 | 30 | 270 | 7,2 | 7 |
| 0030003-7 | 8717365076541 | 0,5 | 7 | 1 | AF360/500KG/7M | 4,3 x 12,0 | 3,5 x 20,0 | 270 | 18,7 | 103 | 102 | 30 | 270 | 7,9 | 7 |
| 0030003-8 | 8717365076558 | 0,5 | 8 | 1 | AF360/500KG/8M | 4,3 x 12,0 | 3,5 x 20,0 | 270 | 18,7 | 103 | 102 | 30 | 270 | 8,7 | 7 |
| 0030003-9 | 8717365076565 | 0,5 | 9 | 1 | AF360/500KG/9M | 4,3 x 12,0 | 3,5 x 20,0 | 270 | 18,7 | 103 | 102 | 30 | 270 | 9,5 | 7 |
| 0030003-10 | 8717365076497 | 0,5 | 10 | 1 | AF360/500KG/10M | 4,3 x 12,0 | 3,5 x 20,0 | 270 | 18,7 | 103 | 102 | 30 | 270 | 10,3 | 7 |

Blaupause

