


Electric Chain Hoists Elephant Alpha 230 V

Product information



The Elephant Alpha 230 V electric chain hoists are compact and have a very low weight (aluminum housing). Popular hoist due to the high duty cycle in combination with a high lifting speed.

Features

- Slip clutch against overload.
- Self-locking brake that holds the load at any desired height.
- In case of overload, the hooks will gradually bend and do not suddenly break off.
- Galvanized load chain, class DAT (Grade 8).

Type description:

- **ALH** = 1 speed lifting.
- **ALHB** = 2 speed lifting.
- **ALHV** = Variable speed.

Technical specification:

- Insulation class B.
- FEM 9.511 motor: 1Am.
- Power supply 230VAC.
- Protection class IP54
- Control power supply 230VAC direct control.

Standard delivery


- 3 m lifting height (maximum distance between top and bottom hook).
- 1.8 m control cable, direct control.
- 4 m power cable.
- Plastic chain bucket up to 6 m chain, from 6 m chain plastic bag. [... Read more](#)

Marking: According to standard, CE-marked

Standard: EN 818-7, EN 14492, EN 12100

Electric Chain Hoists Elephant Alpha 230 V

Blueprint



Technical data

Part code	GTIN No.	WLL ton	Lifting height m	Lifting speed m/min	Number of falls	Model	Motor kW	Max. lifting height m	Lifting speed m/min.	Duty rating % ED	Load chain mm	Construction height mm	Weight kg
0513015-3	8717365087271	0.1	3	13/4	1	ALHB/100KG/3M 230V	0.3	30	13.0/4.0	30	4.0 x 12	325	15
0513010-3	8717365087592	0.1	3	1-13	1	ALHV/100KG/3M 230V	0.3	30	1~13.0	30	4.0 x 12	325	15
0513005-3	8717365086953	0.1	3	13	1	ALH/100KG/3M 230V	0.3	30	13	30	4.0 x 12	325	17
0513015-4	8717365087288	0.1	4	13/4	1	ALHB/100KG/4M 230V	0.3	30	13.0/4.0	30	4.0 x 12	325	17
0513010-4	8717365087608	0.1	4	1-13	1	ALHV/100KG/4M 230V	0.3	30	1~13.0	30	4.0 x 12	325	17
0513005-4	8717365086960	0.1	4	13	1	ALH/100KG/4M 230V	0.3	30	13	30	4.0 x 12	325	19
0513016-5	8717365087295	0.1	5	13/4	1	ALHB/100KG/5M 230V	0.3	30	13.0/4.0	30	4.0 x 12	325	19
0513010-5	8717365087615	0.1	5	1-13	1	ALHV/100KG/5M 230V	0.3	30	1~13.0	30	4.0 x 12	325	19
0513015-6	8717365087301	0.1	6	13/4	1	ALHB/100KG/6M 230V	0.3	30	13.0/4.0	30	4.0 x 12	325	21
0513010-6	8717365087622	0.1	6	1-13	1	ALHV/100KG/6M 230V	0.3	30	1~13.0	30	4.0 x 12	325	21
0513005-5	8717365086977	0.1	5	13	1	ALH/100KG/5M 230V	0.3	30	13	30	4.0 x 12	325	21
0513005-6	8717365086984	0.1	6	13	1	ALH/100KG/6M 230V	0.3	30	13	30	4.0 x 12	325	23
0513016-7	8717365087318	0.1	7	13/4	1	ALHB/100KG/7M 230V	0.3	30	13.0/4.0	30	4.0 x 12	325	23
0513010-7	8717365087639	0.1	7	1-13	1	ALHV/100KG/7M 230V	0.3	30	1~13.0	30	4.0 x 12	325	23

Electric Chain Hoists Elephant Alpha 230 V

Technical data

Part code	GTIN No.	WLL ton	Lifting height m	Lifting speed m/min	Number of falls	Model	Motor kW	Max. lifting height m	Lifting speed m/min.	Duty rating % ED	Load chain mm	Construction height mm	Weight kg
0513005-7	8717365086991	0.1	7	13	1	ALH/100KG/7M 230V	0.3	30	13	30	4.0 x 12	325	25
0513016-8	8717365087325	0.1	8	13/4	1	ALHB/100KG/8M 230V	0.3	30	13.0/4.0	30	4.0 x 12	325	25
0513101-8	8717365087646	0.1	8	1-13	1	ALHV/100KG/8M 230V	0.3	30	1~13.0	30	4.0 x 12	325	25
0513005-8	8717365087004	0.1	8	13	1	ALH/100KG/8M 230V	0.3	30	13	30	4.0 x 12	325	27
0513017-9	8717365087332	0.1	9	13/4	1	ALHB/100KG/9M 230V	0.3	30	13.0/4.0	30	4.0 x 12	325	27
0513101-9	8717365087653	0.1	9	1-13	1	ALHV/100KG/9M 230V	0.3	30	1~13.0	30	4.0 x 12	325	27
0513005-9	8717365087011	0.1	9	13	1	ALH/100KG/9M 230V	0.3	30	13	30	4.0 x 12	325	29
0513015-10	8717365087349	0.1	10	13/4	1	ALHB/100KG/10M 230V	0.3	30	13.0/4.0	30	4.0 x 12	325	29
0513101-10	8717365087660	0.1	10	1-13	1	ALHV/100KG/10M 230V	0.3	30	1~13.0	30	4.0 x 12	325	29
0513005-10	8717365087028	0.1	10	13	1	ALH/100KG/10M 230V	0.3	30	13	30	4.0 x 12	325	31
0513017-3	8717365087356	0.16	3	15/5	1	ALHB/160KG/3M 230V	0.6	30	15.0/5.0	30	4.0 x 12	325	17
0513103-3	8717365087677	0.16	3	1-15	1	ALHV/160KG/3M 230V	0.6	30	1~15	30	4.0 x 12	325	18
0513007-3	8717365087035	0.16	3	15	1	ALH/160KG/3M 230V	0.6	30	15	30	4.0 x 12	325	19
0513017-4	8717365087363	0.16	4	15/5	1	ALHB/160KG/4M 230V	0.6	30	15.0/5.0	30	4.0 x 12	325	19
0513103-4	8717365087684	0.16	4	1-15	1	ALHV/160KG/4M 230V	0.6	30	1~15	30	4.0 x 12	325	20
0513007-4	8717365087042	0.16	4	15	1	ALH/160KG/4M 230V	0.6	30	15	30	4.0 x 12	325	21
0513017-5	8717365087370	0.16	5	15/5	1	ALHB/160KG/5M 230V	0.6	30	15.0/5.0	30	4.0 x 12	325	21
0513103-5	8717365087691	0.16	5	1-15	1	ALHV/160KG/5M 230V	0.6	30	1~15	30	4.0 x 12	325	22
0513017-6	8717365087387	0.16	6	15/5	1	ALHB/160KG/6M 230V	0.6	30	15.0/5.0	30	4.0 x 12	325	23
0513007-5	8717365087059	0.16	5	15	1	ALH/160KG/5M 230V	0.6	30	15	30	4.0 x 12	325	23

Electric Chain Hoists Elephant Alpha 230 V

Technical data

Part code	GTIN No.	WLL ton	Lifting height m	Lifting speed m/min	Number of falls	Model	Motor kW	Max. lifting height m	Lifting speed m/min.	Duty rating % ED	Load chain mm	Construction height mm	Weight kg
0513103-6	8717365087707	0.16	6	1-15	1	ALHV/160KG/6M 230V	0.6	30	1~15	30	4.0 x 12	325	24
0513007-6	8717365087066	0.16	6	15	1	ALH/160KG/6M 230V	0.6	30	15	30	4.0 x 12	325	25
0513017-7	8717365087394	0.16	7	15/5	1	ALHB/160KG/7M 230V	0.6	30	15.0/5.0	30	4.0 x 12	325	25
0513103-7	8717365087714	0.16	7	1-15	1	ALHV/160KG/7M 230V	0.6	30	1~15	30	4.0 x 12	325	26
0513007-7	8717365087073	0.16	7	15	1	ALH/160KG/7M 230V	0.6	30	15	30	4.0 x 12	325	27
0513017-8	8717365087400	0.16	8	15/5	1	ALHB/160KG/8M 230V	0.6	30	15.0/5.0	30	4.0 x 12	325	27
0513103-8	8717365087721	0.16	8	1-15	1	ALHV/160KG/8M 230V	0.6	30	1~15	30	4.0 x 12	325	28
0513007-8	8717365087080	0.16	8	15	1	ALH/160KG/8M 230V	0.6	30	15	30	4.0 x 12	325	29
0513017-9	8717365087417	0.16	9	15/5	1	ALHB/160KG/9M 230V	0.6	30	15.0/5.0	30	4.0 x 12	325	29
0513103-9	8717365087738	0.16	9	1-15	1	ALHV/160KG/9M 230V	0.6	30	1~15	30	4.0 x 12	325	30
0513007-9	8717365087097	0.16	9	15	1	ALH/160KG/9M 230V	0.6	30	15	30	4.0 x 12	325	31
0513017-10	8717365087424	0.16	10	15/5	1	ALHB/160KG/10M 230V	0.6	30	15.0/5.0	30	4.0 x 12	325	31
0513103-10	8717365087745	0.16	10	1-15	1	ALHV/160KG/10M 230V	0.6	30	1~15	30	4.0 x 12	325	32
0513007-10	8717365087103	0.16	10	15	1	ALH/160KG/10M 230V	0.6	30	15	30	4.0 x 12	325	33
0513009-3	8717365087110	0.25	3	10	1	ALH/250KG/3M 230V	0.6	30	10	30	4.0 x 12	325	17
0513019-3	8717365087431	0.25	3	10/4	1	ALHB/250KG/3M 230V	0.6	30	10.0/4.0	30	4.0 x 12	325	17
0513105-3	8717365087752	0.25	3	1-10	1	ALHV/250KG/3M 230V	0.6	30	1~10.0	30	4.0 x 12	325	18
0513009-4	8717365087127	0.25	4	10	1	ALH/250KG/4M 230V	0.6	30	10	30	4.0 x 12	325	19
0513019-4	8717365087448	0.25	4	10/4	1	ALHB/250KG/4M 230V	0.6	30	10.0/4.0	30	4.0 x 12	325	19
0513105-4	8717365087769	0.25	4	1-10	1	ALHV/250KG/4M 230V	0.6	30	1~10.0	30	4.0 x 12	325	20

Electric Chain Hoists Elephant Alpha 230 V

Technical data

Part code	GTIN No.	WLL ton	Lifting height m	Lifting speed m/min	Number of falls	Model	Motor kW	Max. lifting height m	Lifting speed m/min.	Duty rating % ED	Load chain mm	Construction height mm	Weight kg
0513009-5	8717365087134	0.25	5	10	1	ALH/250KG/5M 230V	0.6	30	10	30	4.0 x 12	325	21
0513019-5	8717365087455	0.25	5	10/4	1	ALHB/250KG/5M 230V	0.6	30	10.0/4.0	30	4.0 x 12	325	21
0513105-5	8717365087776	0.25	5	1-10	1	ALHV/250KG/5M 230V	0.6	30	1~10.0	30	4.0 x 12	325	22
0513009-6	8717365087141	0.25	6	10	1	ALH/250KG/6M 230V	0.6	30	10	30	4.0 x 12	325	23
0513019-6	8717365087462	0.25	6	10/4	1	ALHB/250KG/6M 230V	0.6	30	10.0/4.0	30	4.0 x 12	325	23
0513105-6	8717365087783	0.25	6	1-10	1	ALHV/250KG/6M 230V	0.6	30	1~10.0	30	4.0 x 12	325	24
0513009-7	8717365087158	0.25	7	10	1	ALH/250KG/7M 230V	0.6	30	10	30	4.0 x 12	325	25
0513019-7	8717365087479	0.25	7	10/4	1	ALHB/250KG/7M 230V	0.6	30	10.0/4.0	30	4.0 x 12	325	25
0513105-7	8717365087790	0.25	7	1-10	1	ALHV/250KG/7M 230V	0.6	30	1~10.0	30	4.0 x 12	325	26
0513009-8	8717365087165	0.25	8	10	1	ALH/250KG/8M 230V	0.6	30	10	30	4.0 x 12	325	27
0513019-8	8717365087486	0.25	8	10/4	1	ALHB/250KG/8M 230V	0.6	30	10.0/4.0	30	4.0 x 12	325	27
0513105-8	8717365087806	0.25	8	1-10	1	ALHV/250KG/8M 230V	0.6	30	1~10.0	30	4.0 x 12	325	28
0513009-9	8717365087172	0.25	9	10	1	ALH/250KG/9M 230V	0.6	30	10	30	4.0 x 12	325	29
0513019-9	8717365087493	0.25	9	10/4	1	ALHB/250KG/9M 230V	0.6	30	10.0/4.0	30	4.0 x 12	325	29
0513105-9	8717365087813	0.25	9	1-10	1	ALHV/250KG/9M 230V	0.6	30	1~10.0	30	4.0 x 12	325	30
0513009-10	8717365087189	0.25	10	10	1	ALH/250KG/10M 230V	0.6	30	10	30	4.0 x 12	325	31
0513019-10	8717365087509	0.25	10	10/4	1	ALHB/250KG/10M 230V	0.6	30	10.0/4.0	30	4.0 x 12	325	31
0513105-10	8717365087820	0.25	10	1-10	1	ALHV/250KG/10M 230V	0.6	30	1~10.0	30	4.0 x 12	325	32
0513011-3	8717365087196	0.5	3	5	2	ALH/500KG/3M 230V	0.6	15	5	30	4.0 x 12	415	18
0513021-3	8717365087516	0.5	3	5/2	2	ALHB/500KG/3M 230V	0.6	15	5.0/2.0	30	4.0 x 12	415	18

Electric Chain Hoists Elephant Alpha 230 V

Technical data

Part code	GTIN No.	WLL ton	Lifting height m	Lifting speed m/min	Number of falls	Model	Motor kW	Max. lifting height m	Lifting speed m/min.	Duty rating % ED	Load chain mm	Construction height mm	Weight kg
0513107-3	8717365087837	0.5	3	0,5-5	2	ALHV/500KG/3M 230V	0.6	15	0.5~5.0	30	4.0 x 12	415	18
0513011-4	8717365087202	0.5	4	5	2	ALH/500KG/4M 230V	0.6	15	5	30	4.0 x 12	415	20
0513021-4	8717365087523	0.5	4	5/2	2	ALHB/500KG/4M 230V	0.6	15	5.0/2.0	30	4.0 x 12	415	20
0513107-4	8717365087844	0.5	4	0,5-5	2	ALHV/500KG/4M 230V	0.6	15	0.5~5.0	30	4.0 x 12	415	20
0513011-5	8717365087219	0.5	5	5	2	ALH/500KG/5M 230V	0.6	15	5	30	4.0 x 12	415	22
0513021-5	8717365087530	0.5	5	5/2	2	ALHB/500KG/5M 230V	0.6	15	5.0/2.0	30	4.0 x 12	415	22
0513107-5	8717365087851	0.5	5	0,5-5	2	ALHV/500KG/5M 230V	0.6	15	0.5~5.0	30	4.0 x 12	415	22
0513011-6	8717365087226	0.5	6	5	2	ALH/500KG/6M 230V	0.6	15	5	30	4.0 x 12	415	24
0513021-6	8717365087547	0.5	6	5/2	2	ALHB/500KG/6M 230V	0.6	15	5.0/2.0	30	4.0 x 12	415	24
0513107-6	8717365087868	0.5	6	0,5-5	2	ALHV/500KG/6M 230V	0.6	15	0.5~5.0	30	4.0 x 12	415	24
0513011-7	8717365087233	0.5	7	5	2	ALH/500KG/7M 230V	0.6	15	5	30	4.0 x 12	415	26
0513021-7	8717365087554	0.5	7	5/2	2	ALHB/500KG/7M 230V	0.6	15	5.0/2.0	30	4.0 x 12	415	26
0513107-7	8717365087875	0.5	7	0,5-5	2	ALHV/500KG/7M 230V	0.6	15	0.5~5.0	30	4.0 x 12	415	26
0513011-8	8717365087240	0.5	8	5	2	ALH/500KG/8M 230V	0.6	15	5	30	4.0 x 12	415	28
0513021-8	8717365087561	0.5	8	5/2	2	ALHB/500KG/8M 230V	0.6	15	5.0/2.0	30	4.0 x 12	415	28
0513107-8	8717365087882	0.5	8	0,5-5	2	ALHV/500KG/8M 230V	0.6	15	0.5~5.0	30	4.0 x 12	415	28
0513011-9	8717365087257	0.5	9	5	2	ALH/500KG/9M 230V	0.6	15	5	30	4.0 x 12	415	30
0513021-9	8717365087578	0.5	9	5/2	2	ALHB/500KG/9M 230V	0.6	15	5.0/2.0	30	4.0 x 12	415	30
0513107-9	8717365087899	0.5	9	0,5-5	2	ALHV/500KG/9M 230V	0.6	15	0.5~5.0	30	4.0 x 12	415	30
0513011-10	8717365087264	0.5	10	5	2	ALH/500KG/10M 230V	0.6	15	5	30	4.0 x 12	415	32

Electric Chain Hoists Elephant Alpha 230 V

Technical data

Part code	GTIN No.	WLL ton	Lifting height m	Lifting speed m/min	Number of falls	Model	Motor kW	Max. lifting height m	Lifting speed m/min.	Duty rating % ED	Load chain mm	Construction height mm	Weight kg
0513021-10	8717365087585	0.5	10	5/2	2	ALHB/500KG/10M 230V	0.6	15	5.0/2.0	30	4.0 x 12	415	32
0513107-10	8717365087905	0.5	10	0,5-5	2	ALHV/500KG/10M 230V	0.6	15	0.5~5.0	30	4.0 x 12	415	32