




## Electric Chain Hoist Elephant BETA

### Product information



The Elephant Beta 230 VAC electric chain hoists are light weight, compact and ideal for light installation work.

#### Features

- Slip clutch for overload prevention
- Self-locking brake that will hold the load at any required height
- Very low own weight, only 7.5 kg.
- Very compact.
- In case of overload, the hooks will gradually bend and do not suddenly break off.
- Grade 10 load chain.

#### Technical specification:

- Insulation class B.
- FEM 9.511 motor: 1Am.
- Power supply 230VAC.
- Protection class IP54
- Control power supply 230VAC direct control.

#### Standard delivery

- 3 m lifting height (maximum distance between top and bottom hook).
- 1.8 m control cable, direct control.
- 3 m power cable.
- Chain bag max 10 m.
- Trolley not included.

#### Option

- Other hoisting and operating height is also possible.

- Push trolley.

**Marking:** CE-marked

| Part code  | GTIN No.      | WLL<br>kg | Lifting height<br>m | Lifting speed<br>m/min | Number of falls | Model          | Motor<br>kW | Max. lifting height<br>m | Duty rating % ED | Load chain<br>mm | Construction height<br>mm | Weight<br>kg | Delivery time |
|------------|---------------|-----------|---------------------|------------------------|-----------------|----------------|-------------|--------------------------|------------------|------------------|---------------------------|--------------|---------------|
| 0511001-3  | 8717365098758 | 125       | 3                   | 6,5                    | 1               | BETA-125KG-3M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 7.25         | 7             |
| 0511001-4  | 8717365118142 | 125       | 4                   | 6,5                    | 1               | BETA-125KG-4M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 8.5          | 7             |
| 0511001-5  | 8717365118159 | 125       | 5                   | 6,5                    | 1               | BETA-125KG-5M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 9.75         | 7             |
| 0511001-6  | 8717365118166 | 125       | 6                   | 6,5                    | 1               | BETA-125KG-6M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 11           | 7             |
| 0511001-7  | 8717365118173 | 125       | 7                   | 6,5                    | 1               | BETA-125KG-7M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 12.25        | 7             |
| 0511001-8  | 8717365118180 | 125       | 8                   | 6,5                    | 1               | BETA-125KG-8M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 13.5         | 7             |
| 0511001-9  | 8717365118197 | 125       | 9                   | 6,5                    | 1               | BETA-125KG-9M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 14.75        | 7             |
| 0511001-10 | 8717365118203 | 125       | 10                  | 6,5                    | 1               | BETA-125KG-10M | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 16           | 7             |
| 0511003-3  | 8717365098765 | 200       | 3                   | 3,8                    | 1               | BETA-200KG-3M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 7.25         | 7             |
| 0511003-4  | 8717365118210 | 200       | 4                   | 3,8                    | 1               | BETA-200KG-4M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 8.5          | 7             |
| 0511003-5  | 8717365118227 | 200       | 5                   | 3,8                    | 1               | BETA-200KG-5M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 9.75         | 7             |
| 0511003-6  | 8717365118234 | 200       | 6                   | 3,8                    | 1               | BETA-200KG-6M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 11           | 7             |
| 0511003-7  | 8717365118241 | 200       | 7                   | 3,8                    | 1               | BETA-200KG-7M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 12.25        | 7             |
| 0511003-8  | 8717365118258 | 200       | 8                   | 3,8                    | 1               | BETA-200KG-8M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 13.5         | 7             |
| 0511003-9  | 8717365118265 | 200       | 9                   | 3,8                    | 1               | BETA-200KG-9M  | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 14.75        | 7             |
| 0511003-10 | 8717365118272 | 200       | 10                  | 3,8                    | 1               | BETA-200KG-10M | 0.18        | 10                       | 25               | 3 x 9            | 280                       | 16           | 7             |

## Blueprint

