REMA 75 YEARS HOISTING & LIFTING Work made easy.

S1 polyester flat webbing slings with reinforced eyes

Product information



This professional webbing sling is extremely suitable for intensive industrial use.

Packaging

SEMI-BIODEGRADABLE

Packaged in semi-biodegradable plastic.

Properties

- Duplex hoisting belt; double strap layers.
- Extra strong, water- and dirt-repellent, impregnated fabric guarantees a longer life.
- WLL stripes, each stripe is 1 ton (up to 10 tons).
- Every 30 mm band width is 1 ton load capacity.

... *Read more*

Material: polyester
Marking: According to standard, CE-mark
Standard: EN 1492-1
Note: Packed in plastic including REMA manual.

REMA Hoisting & Lifting
info@rema.eu
+31433631777

© November 2026 - All Rights Reserved

REMA® 75 YEARS HOISTING & LIFTING Work made easy.

S1 polyester flat webbing slings with reinforced eyes

Technical data

Part code	Code	WLL ton	WLL Straight Lift ton	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	WLL 45-60° t	EWL m	Length m	Webbing width mm	Model	Colour	Weight kg
1211031	8717365003714	1	1	0.8	2	1.4	1	1	1	-	30	S1-PE-1t-1M	Purple	0.25
1211033	8717365003721	1	1	0.8	2	1.4	1	1	1.5	1.5	30	S1-PE-1t-1,5M	Purple	0.5
1211037	8717365003745	1	1	0.8	2	1.4	1	1	3	3	30	S1-PE-1t-3M	Purple	0.7
1211035	8717365003738	1	1	0.8	2	1.4	1	1	2	2	30	S1-PE-1t-2M	Purple	0.76
1211039	8717365003752	1	1	0.8	2	1.4	1	1	4	4	30	S1-PE-1t-4M	Purple	0.9
1211041	8717365003769	1	1	0.8	2	1.4	1	1	5	5	30	S1-PE-1t-5M	Purple	1.07
1211043	8717365003776	1	1	0.8	2	1.4	1	1	6	6	30	S1-PE-1t-6M	Purple	1.3
1211045	8717365003783	1	1	0.8	2	1.4	1	1	7	7	30	S1-PE-1t-7M	Purple	1.7
1211047	8717365003790	1	1	0.8	2	1.4	1	1	8	8	30	S1-PE-1t-8M	Purple	1.9
1211049	8717365003806	1	1	0.8	2	1.4	1	1	9	9	30	S1-PE-1t-9M	Purple	1.9
1211051	8717365003813	1	1	0.8	2	1.4	1	1	10	10	30	S1-PE-1t-10M	Purple	2.1
1211061	8717365003820	2	2	1.6	4	2.8	2	2	1	1	60	S1-PE-2t-1M	Green	0.6
1211063	8717365003837	2	2	1.6	4	2.8	2	2	1.5	1.5	60	S1-PE-2t-1,5M	Green	0.9
1211065	8717365003844	2	2	1.6	4	2.8	2	2	2	2	60	S1-PE-2t-2M	Green	1.3
1211069	8717365003868	2	2	1.6	4	2.8	2	2	4	4	60	S1-PE-2t-4M	Green	1.45
1211067	8717365003851	2	2	1.6	4	2.8	2	2	3	3	60	S1-PE-2t-3M	Green	1.8
1211071	8717365003875	2	2	1.6	4	2.8	2	2	5	5	60	S1-PE-2t-5M	Green	1.8
1211073	8717365003882	2	2	1.6	4	2.8	2	2	6	6	60	S1-PE-2t-6M	Green	2.5
1211075	8717365003899	2	2	1.6	4	2.8	2	2	7	7	60	S1-PE-2t-7M	Green	2.9
1211077	8717365003905	2	2	1.6	4	2.8	2	2	8	8	60	S1-PE-2t-8M	Green	3.25

© November 2026 - All Rights Reserved

REMA® 75 YEARS HOISTING & LIFTING Work made easy.

S1 polyester flat webbing slings with reinforced eyes

Technical data

Part code	Code	WLL ton	WLL Straight Lift ton	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	WLL 45-60° t	EWL m	Length m	Webbing width mm	Model	Colour	Weight kg
1211079	8717365003912	2	2	1.6	4	2.8	2	2	9	9	60	S1-PE-2t-9M	Green	3.75
1211081	8717365003929	2	2	1.6	4	2.8	2	2	10	10	60	S1-PE-2t-10M	Green	4.2
1211091	8717365003936	3	3	2.4	6	4.2	3	3	1	1	90	S1-PE-3t-1M	Yellow	0.75
1211093	8717365003943	3	3	2.4	6	4.2	3	3	1.5	1.5	90	S1-PE-3t-1,5M	Yellow	1
1211095	8717365003950	3	3	2.4	6	4.2	3	3	2	2	90	S1-PE-3t-2M	Yellow	1.35
1211097	8717365003967	3	3	2.4	6	4.2	3	3	3	3	90	S1-PE-3t-3M	Yellow	2.25
1211099	8717365003974	3	3	2.4	6	4.2	3	3	4	4	90	S1-PE-3t-4M	Yellow	2.7
1211101	8717365003981	3	3	2.4	6	4.2	3	3	5	5	90	S1-PE-3t-5M	Yellow	3.75
1211103	8717365003998	3	3	2.4	6	4.2	3	3	6	6	90	S1-PE-3t-6M	Yellow	3.85
1211105	8717365004001	3	3	2.4	6	4.2	3	3	7	7	90	S1-PE-3t-7M	Yellow	3.85
1211107	8717365004018	3	3	2.4	6	4.2	3	3	8	8	90	S1-PE-3t-8M	Yellow	4.2
1211109	8717365004025	3	3	2.4	6	4.2	3	3	9	9	90	S1-PE-3t-9M	Yellow	5.35
1211111	8717365004032	3	3	2.4	6	4.2	3	3	10	10	90	S1-PE-3t-10M	Yellow	7.5
1211125	8717365004049	4	4	3.2	8	5.6	4	4	2	2	120	S1-PE-4t-2M	Grey	2.05
1211127	8717365004315	4	4	3.2	8	5.6	4	4	3	3	120	S1-PE-4t-3M	Grey	3.6
1211129	8717365004063	4	4	3.2	8	5.6	4	4	4	4	120	S1-PE-4t-4M	Grey	3.7
1211131	8717365004070	4	4	3.2	8	5.6	4	4	5	5	120	S1-PE-4t-5M	Grey	4.6
1211133	8717365004087	4	4	3.2	8	5.6	4	4	6	6	120	S1-PE-4t-6M	Grey	5.05
1211135	8717365004094	4	4	3.2	8	5.6	4	4	7	7	120	S1-PE-4t-7M	Grey	6.2
1211137	8717365004100	4	4	3.2	8	5.6	4	4	8	8	120	S1-PE-4t-8M	Grey	6.2

REMA Hoisting & Lifting
info@rema.eu
+31433631777
© November 2026 - All Rights Reserved

REMA 75 YEARS HOISTING & LIFTING Work made easy.

S1 polyester flat webbing slings with reinforced eyes

Technical data

Part code	Code	WLL ton	WLL Straight Lift ton	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	WLL 45-60° t	EWL m	Length m	Webbing width mm	Model	Colour	Weight kg
1211139	8717365004117	4	4	3.2	8	5.6	4	4	9	9	120	S1-PE-4t-9M	Grey	7.05
1211141	8717365004124	4	4	3.2	8	5.6	4	4	10	10	120	S1-PE-4t-10M	Grey	8.25
1211155	8717365020032	5	5	4	10	7	5	5	2	2	150	S1-PE-5t-2M	Red	2.05
1211157	8717365004148	5	5	4	10	7	5	5	3	3	150	S1-PE-5t-3M	Red	3.5
1211159	8717365004155	5	5	4	10	7	5	5	4	4	150	S1-PE-5t-4M	Red	3.75
1211161	8717365004162	5	5	4	10	7	5	5	5	5	150	S1-PE-5t-5M	Red	4.6
1211163	8717365004179	5	5	4	10	7	5	5	6	6	150	S1-PE-5t-6M	Red	5.4
1211165	8717365004186	5	5	4	10	7	5	5	7	7	150	S1-PE-5t-7M	Red	12.6
1211167	8717365004193	5	5	4	10	7	5	5	8	8	150	S1-PE-5t-8M	Red	14.4
1211169	8717365004209	5	5	4	10	7	5	5	9	9	150	S1-PE-5t-9M	Red	16.2
1211171	8717365004216	5	5	4	10	7	5	5	10	10	150	S1-PE-5t-10M	Red	18
1211187	8717365004230	6	6	4.8	12	8.4	6	6	3	3	180	S1-PE-6t-3M	Brown	7.5
1211189	8717365004247	6	6	4.8	12	8.4	6	6	4	4	180	S1-PE-6t-4M	Brown	10
1211191	8717365004254	6	6	4.8	12	8.4	6	6	5	5	180	S1-PE-6t-5M	Brown	12.5
1211193	8717365020339	6	6	4.8	12	8.4	6	6	6	6	180	S1-PE-6t-6M	Brown	15
1211195	8717365004278	6	6	4.8	12	8.4	6	6	7	7	180	S1-PE-6t-7M	Brown	17.5
1211197	8717365004285	6	6	4.8	12	8.4	6	6	8	8	180	S1-PE-6t-8M	Brown	20
1211199	8717365004292	6	6	4.8	12	8.4	6	6	9	9	180	S1-PE-6t-9M	Brown	22.5
1211201	8717365004308	6	6	4.8	12	8.4	6	6	10	10	180	S1-PE-6t-10M	Brown	25
1211217	8717365020346	8	8	6.4	16	11.2	8	8	3	3	240	S1-PE-8t-3M	Blue	8.7

REMA Hoisting & Lifting
info@rema.eu
+31433631777

© November 2026 - All Rights Reserved

REMA® 75 YEARS HOISTING & LIFTING Work made easy.

S1 polyester flat webbing slings with reinforced eyes

Technical data

Part code	Code	WLL ton	WLL Straight Lift ton	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	WLL 45-60° t	EWL m	Length m	Webbing width mm	Model	Colour	Weight kg
1211219	8717365004322	8	8	6.4	16	11.2	8	8	4	4	240	S1-PE-8t-4M	Blue	11.6
1211221	8717365004339	8	8	6.4	16	11.2	8	8	5	5	240	S1-PE-8t-5M	Blue	14.5
1211223	8717365004346	8	8	6.4	16	11.2	8	8	6	6	240	S1-PE-8t-6M	Blue	17.4
1211225	8717365004353	8	8	6.4	16	11.2	8	8	7	7	240	S1-PE-8t-7M	Blue	20.3
1211227	8717365004360	8	8	6.4	16	11.2	8	8	8	8	240	S1-PE-8t-8M	Blue	23.2
1211229	8717365004377	8	8	6.4	16	11.2	8	8	9	9	240	S1-PE-8t-9M	Blue	26.1
1211231	8717365004384	8	8	6.4	16	11.2	8	8	10	10	240	S1-PE-8t-10M	Blue	29
1211247	8717365004391	10	10	8	20	14	10	10	3	3	300	S1-PE-10t-3M	Orange	10.8
1211249	8717365004407	10	10	8	20	14	10	10	4	4	300	S1-PE-10t-4M	Orange	14.4
1211251	8717365004414	10	10	8	20	14	10	10	5	5	300	S1-PE-10t-5M	Orange	18
1211253	8717365004421	10	10	8	20	14	10	10	6	6	300	S1-PE-10t-6M	Orange	21.6
1211255	8717365004438	10	10	8	20	14	10	10	7	7	300	S1-PE-10t-7M	Orange	25.2
1211257	8717365004445	10	10	8	20	14	10	10	8	8	300	S1-PE-10t-8M	Orange	28.8
1211259	8717365004452	10	10	8	20	14	10	10	9	9	300	S1-PE-10t-9M	Orange	32.4
1211261	8717365004469	10	10	8	20	14	10	10	10	10	300	S1-PE-10t-10M	Orange	36

REMA Hoisting & Lifting
info@rema.eu
+31433631777
© November 2026 - All Rights Reserved