



S2 endless polyester flat slings

Product information



This professional webbing sling is extremely suitable for intensive industrial use.

Properties

- Simplex design.
- WLL stripes, each stripe is 1 ton (up to 10 tons).
- 1 t load capacity for each 30 mm webbing width.
- Available up to 10 Ton.

Material: polyester

Marking: According to standard, CE-marked

Standard: EN 1492-1

Note: Packed in plastic including REMA manual.

| Part code | GTIN No. | WLL ton | Basket Hitch 0-45° ton | Basket Hitch 45°-60° ton | EWL m | Webbing width mm | Model | Colour | Delivery time |
|-----------|---------------|---------|------------------------|--------------------------|-------|------------------|----------|--------|---------------|
| 1212031 | 8717365004476 | 1 | 1.4 | 1 | 0.5 | 30 | S2-PE-1t | Violet | 3 |
| 1212035 | 8717365004483 | 1 | 1.4 | 1 | 1 | 30 | S2-PE-1t | Violet | 3 |
| 1212037 | 8717365004490 | 1 | 1.4 | 1 | 1.5 | 30 | S2-PE-1t | Violet | 3 |
| 1212039 | 8717365004506 | 1 | 1.4 | 1 | 2 | 30 | S2-PE-1t | Violet | 3 |
| 1212041 | 8717365004513 | 1 | 1.4 | 1 | 2.5 | 30 | S2-PE-1t | Violet | 3 |

| | | | | | | | | | |
|---------|---------------|---|-----|---|-----|----|----------|--------|---|
| 1212043 | 8717365004520 | 1 | 1.4 | 1 | 3 | 30 | S2-PE-1t | Violet | 3 |
| 1212045 | 8717365004537 | 1 | 1.4 | 1 | 3.5 | 30 | S2-PE-1t | Violet | 3 |
| 1212047 | 8717365004544 | 1 | 1.4 | 1 | 4 | 30 | S2-PE-1t | Violet | 3 |
| 1212049 | 8717365004551 | 1 | 1.4 | 1 | 4.5 | 30 | S2-PE-1t | Violet | 7 |
| 1212051 | 8717365004568 | 1 | 1.4 | 1 | 5 | 30 | S2-PE-1t | Violet | 3 |
| 1212061 | 8717365004575 | 2 | 2.8 | 2 | 0.5 | 60 | S2-PE-2t | Green | 3 |
| 1212065 | 8717365004582 | 2 | 2.8 | 2 | 1 | 60 | S2-PE-2t | Green | 3 |
| 1212067 | 8717365004599 | 2 | 2.8 | 2 | 1.5 | 60 | S2-PE-2t | Green | 3 |
| 1212069 | 8717365004605 | 2 | 2.8 | 2 | 2 | 60 | S2-PE-2t | Green | 3 |
| 1212071 | 8717365004612 | 2 | 2.8 | 2 | 2.5 | 60 | S2-PE-2t | Green | 3 |
| 1212073 | 8717365004629 | 2 | 2.8 | 2 | 3 | 60 | S2-PE-2t | Green | 7 |
| 1212075 | 8717365004636 | 2 | 2.8 | 2 | 3.5 | 60 | S2-PE-2t | Green | 3 |
| 1212077 | 8717365004643 | 2 | 2.8 | 2 | 4 | 60 | S2-PE-2t | Green | 3 |
| 1212079 | 8717365004650 | 2 | 2.8 | 2 | 4.5 | 60 | S2-PE-2t | Green | 7 |
| 1212081 | 8717365004667 | 2 | 2.8 | 2 | 5 | 60 | S2-PE-2t | Green | 3 |
| 1212091 | 8717365004674 | 3 | 4.2 | 3 | 0.5 | 90 | S2-PE-3t | Yellow | 7 |
| 1212095 | 8717365004681 | 3 | 4.2 | 3 | 1 | 90 | S2-PE-3t | Yellow | 3 |
| 1212097 | 8717365004698 | 3 | 4.2 | 3 | 1.5 | 90 | S2-PE-3t | Yellow | 7 |
| 1212099 | 8717365004704 | 3 | 4.2 | 3 | 2 | 90 | S2-PE-3t | Yellow | 3 |
| 1212101 | 8717365004711 | 3 | 4.2 | 3 | 2.5 | 90 | S2-PE-3t | Yellow | 3 |
| 1212103 | 8717365004728 | 3 | 4.2 | 3 | 3 | 90 | S2-PE-3t | Yellow | 7 |
| 1212105 | 8717365004735 | 3 | 4.2 | 3 | 3.5 | 90 | S2-PE-3t | Yellow | 7 |
| 1212107 | 8717365004742 | 3 | 4.2 | 3 | 4 | 90 | S2-PE-3t | Yellow | 7 |

| | | | | | | | | | |
|---------|---------------|---|-----|---|-----|----|----------|--------|---|
| 1212109 | 8717365004759 | 3 | 4.2 | 3 | 4.5 | 90 | S2-PE-3t | Yellow | 7 |
| 1212111 | 8717365004766 | 3 | 4.2 | 3 | 5 | 90 | S2-PE-3t | Yellow | 7 |