

## Chain sling assy 2-leg REMA-10-RML-RDG-RCH

### Product information



REMA<sup>®</sup>

The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

2-leg REMA-10 chain | masterlink RML | clevis shortening hook RDG | clevis sling hook RCH



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality. [... Read more](#)

**Marking:** According to standard, CE-marked

**Standard:** DIN 17115, DIN 5692, EN 1677-1, EN 818-7

**Safety factor:** 4

**Grade:** 10

## Chain sling assy 2-leg REMA-10-RML-RDG-RCH

### Technical data

| Part code   | GTIN No.      | Chain diameter mm | WLL ton | WLL 0-45° t | WLL 45-60° t | EWL m | Model                    | Weight kg |
|-------------|---------------|-------------------|---------|-------------|--------------|-------|--------------------------|-----------|
| 2692306-1   | 8717365152825 | 6                 | 1.96    | 1.96        | 1,4          | 1     | 1960KG-6MM-RDG-RCH-1M    | 3.5       |
| 2692306-1.5 | 8717365152832 | 6                 | 1.96    | 1.96        | 1,4          | 1.5   | 1960KG-6MM-RDG-RCH-1,5M  | 4.3       |
| 2692306-2   | 8717365152849 | 6                 | 1.96    | 1.96        | 1,4          | 2     | 1960KG-6MM-RDG-RCH-2M    | 5.1       |
| 2692306-2.5 | 8717365152856 | 6                 | 1.96    | 1.96        | 1,4          | 2.5   | 1960KG-6MM-RDG-RCH-2,5M  | 5.9       |
| 2692306-3   | 8717365152863 | 6                 | 1.96    | 1.96        | 1,4          | 3     | 1960KG-6MM-RDG-RCH-3M    | 6.7       |
| 2692306-3.5 | 8717365152870 | 6                 | 1.96    | 1.96        | 1,4          | 3.5   | 1960KG-6MM-RDG-RCH-3,5M  | 7.5       |
| 2692306-4   | 8717365152887 | 6                 | 1.96    | 1.96        | 1,4          | 4     | 1960KG-6MM-RDG-RCH-4M    | 8.3       |
| 2692308-1   | 8717365152894 | 8                 | 3.5     | 3.5         | 2,5          | 1     | 3500KG-8MM-RDG-RCH-1M    | 6.8       |
| 2692308-1.5 | 8717365152900 | 8                 | 3.5     | 3.5         | 2,5          | 1.5   | 3500KG-8MM-RDG-RCH-1,5M  | 8.3       |
| 2692308-2   | 8717365152917 | 8                 | 3.5     | 3.5         | 2,5          | 2     | 3500KG-8MM-RDG-RCH-2M    | 9.8       |
| 2692308-2.5 | 8717365152924 | 8                 | 3.5     | 3.5         | 2,5          | 2.5   | 3500KG-8MM-RDG-RCH-2,5M  | 11.3      |
| 2692308-3   | 8717365152931 | 8                 | 3.5     | 3.5         | 2,5          | 3     | 3500KG-8MM-RDG-RCH-3M    | 12.8      |
| 2692308-3.5 | 8717365152948 | 8                 | 3.5     | 3.5         | 2,5          | 3.5   | 3500KG-8MM-RDG-RCH-3,5M  | 14.3      |
| 2692308-4   | 8717365152955 | 8                 | 3.5     | 3.5         | 2,5          | 4     | 3500KG-8MM-RDG-RCH-4M    | 15.8      |
| 2692310-1   | 8717365152962 | 10                | 5.6     | 5.6         | 4            | 1     | 5600KG-10MM-RDG-RCH-1M   | 11.8      |
| 2692310-1.5 | 8717365152979 | 10                | 5.6     | 5.6         | 4            | 1.5   | 5600KG-10MM-RDG-RCH-1,5M | 14.1      |
| 2692310-2   | 8717365152986 | 10                | 5.6     | 5.6         | 4            | 2     | 5600KG-10MM-RDG-RCH-2M   | 16.4      |
| 2692310-2.5 | 8717365152993 | 10                | 5.6     | 5.6         | 4            | 2.5   | 5600KG-10MM-RDG-RCH-2,5M | 18.7      |
| 2692310-3   | 8717365153006 | 10                | 5.6     | 5.6         | 4            | 3     | 5600KG-10MM-RDG-RCH-3M   | 21        |
| 2692310-3.5 | 8717365153013 | 10                | 5.6     | 5.6         | 4            | 3.5   | 5600KG-10MM-RDG-RCH-3,5M | 23.3      |
| 2692310-4   | 8717365153020 | 10                | 5.6     | 5.6         | 4            | 4     | 5600KG-10MM-RDG-RCH-4M   | 25.6      |
| 2692313-1   | 8717365153037 | 13                | 9.38    | 9.38        | 6,7          | 1     | 9380KG-13MM-RDG-RCH-1M   | 21        |
| 2692313-1.5 | 8717365153044 | 13                | 9.38    | 9.38        | 6,7          | 1.5   | 9380KG-13MM-RDG-RCH-1,5M | 25        |
| 2692313-2   | 8717365153051 | 13                | 9.38    | 9.38        | 6,7          | 2     | 9380KG-13MM-RDG-RCH-2M   | 29        |
| 2692313-2.5 | 8717365153068 | 13                | 9.38    | 9.38        | 6,7          | 2.5   | 9380KG-13MM-RDG-RCH-2,5M | 33        |
| 2692313-3   | 8717365153075 | 13                | 9.38    | 9.38        | 6,7          | 3     | 9380KG-13MM-RDG-RCH-3M   | 37        |
| 2692313-3.5 | 8717365153082 | 13                | 9.38    | 9.38        | 6,7          | 3.5   | 9380KG-13MM-RDG-RCH-3,5M | 41        |
| 2692313-4   | 8717365153099 | 13                | 9.38    | 9.38        | 6,7          | 4     | 9380KG-13MM-RDG-RCH-4M   | 45        |
| 2692316-1   | 8717365153105 | 16                | 14      | 14          | 10           | 1     | 14T-16MM-RDG-RCH-1M      | 36.2      |
| 2692316-1.5 | 8717365153112 | 16                | 14      | 14          | 10           | 1.5   | 14T-16MM-RDG-RCH-1,5M    | 42.2      |
| 2692316-2   | 8717365153129 | 16                | 14      | 14          | 10           | 2     | 14T-16MM-RDG-RCH-2M      | 48.2      |

## Chain sling assy 2-leg REMA-10-RML-RDG-RCH

### Technical data

| Part code   | GTIN No.      | Chain diameter<br>mm | WLL<br>ton | WLL 0-45°<br>t | WLL 45-60°<br>t | EWL<br>m | Model                 | Weight<br>kg |
|-------------|---------------|----------------------|------------|----------------|-----------------|----------|-----------------------|--------------|
| 2692316-2.5 | 8717365153136 | 16                   | 14         | 14             | 10              | 2.5      | 14T-16MM-RDG-RCH-2,5M | 54.2         |
| 2692316-3   | 8717365153143 | 16                   | 14         | 14             | 10              | 3        | 14T-16MM-RDG-RCH-3M   | 60.2         |
| 2692316-3.5 | 8717365153150 | 16                   | 14         | 14             | 10              | 3.5      | 14T-16MM-RDG-RCH-3,5M | 66.2         |
| 2692316-4   | 8717365153167 | 16                   | 14         | 14             | 10              | 4        | 14T-16MM-RDG-RCH-4M   | 72.2         |