



3 leg REMA-10-RMA-RCX-RCS

Product information



The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

3 leg REMA-10 chain | masterlink RMA | connecting link RCX | self locking clevis hook RCS



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality.

Marking: According to standard, CE-marked

Standard: EN 818-7, EN 1677-1, DIN 17115, DIN 5692

Safety factor: 4

Grade: 10

Part code	GTIN No.	Chain diameter mm	WLL ton	WLL 0-45° t	WLL 45-60° t	EWL m	Model	Weight kg	Delivery time
2693206-1	8717365153877	6	2.94	2.94	2,1	1	2940KG-6MM-RMA-RCS-1M	5.6	7
2693206-1.5	8717365153884	6	2.94	2.94	2,1	1.5	2940KG-6MM-RMA-RCS-1,5M	6.8	7
2693206-2	8717365153891	6	2.94	2.94	2,1	2	2940KG-6MM-RMA-RCS-2M	8	7
2693206-2.5	8717365153907	6	2.94	2.94	2,1	2.5	2940KG-6MM-RMA-RCS-2,5M	9.2	7
2693206-3	8717365153914	6	2.94	2.94	2,1	3	2940KG-6MM-RMA-RCS-3M	10.4	7

2693206-3.5	8717365153921	6	2.94	2.94	2,1	3.5	2940KG-6MM-RMA-RCS-3,5M	11.6	7
2693206-4	8717365153938	6	2.94	2.94	2,1	4	2940KG-6MM-RMA-RCS-4M	12.8	7
2693208-1	8717365153945	8	5.25	5.25	3,75	1	5250KG-8MM-RMA-RCS-1M	9.9	7
2693208-1.5	8717365153952	8	5.25	5.25	3,75	1.5	5250KG-8MM-RMA-RCS-1,5M	12.15	7
2693208-2	8717365153969	8	5.25	5.25	3,75	2	5250KG-8MM-RMA-RCS-2M	14.4	7
2693208-2.5	8717365153976	8	5.25	5.25	3,75	2.5	5250KG-8MM-RMA-RCS-2,5M	16.65	7
2693208-3	8717365153983	8	5.25	5.25	3,75	3	5250KG-8MM-RMA-RCS-3M	18.9	7
2693208-3.5	8717365153990	8	5.25	5.25	3,75	3.5	5250KG-8MM-RMA-RCS-3,5M	21.15	7
2693208-4	8717365154003	8	5.25	5.25	3,75	4	5250KG-8MM-RMA-RCS-4M	23.4	7
2693210-1	8717365154010	10	8.4	8.4	6	1	8400KG-10MM-RMA-RCS-1M	15.6	7
2693210-1.5	8717365154027	10	8.4	8.4	6	1.5	8400KG-10MM-RMA-RCS-1,5M	19.05	7
2693210-2	8717365154034	10	8.4	8.4	6	2	8400KG-10MM-RMA-RCS-2M	22.5	7
2693210-2.5	8717365154041	10	8.4	8.4	6	2.5	8400KG-10MM-RMA-RCS-2,5M	25.95	7
2693210-3	8717365154058	10	8.4	8.4	6	3	8400KG-10MM-RMA-RCS-3M	29.4	7
2693210-3.5	8717365154065	10	8.4	8.4	6	3.5	8400KG-10MM-RMA-RCS-3,5M	32.85	7
2693210-4	8717365154072	10	8.4	8.4	6	4	8400KG-10MM-RMA-RCS-4M	36.3	7
2693213-1	8717365154089	13	14	14	10,05	1	14T-13MM-RMA-RCS-1M	29.3	7
2693213-1.5	8717365154096	13	14	14	10,05	1.5	14T-13MM-RMA-RCS-1,5M	35.3	7
2693213-2	8717365154102	13	14	14	10,05	2	14T-13MM-RMA-RCS-2M	41.3	7
2693213-2.5	8717365154119	13	14	14	10,05	2.5	14T-13MM-RMA-RCS-2,5M	47.3	7
2693213-3	8717365154126	13	14	14	10,05	3	14T-13MM-RMA-RCS-3M	53.3	7
2693213-3.5	8717365154133	13	14	14	10,05	3.5	14T-13MM-RMA-RCS-3,5M	59.3	7
2693213-4	8717365154140	13	14	14	10,05	4	14T-13MM-RMA-RCS-4M	65.3	7
2693216-1	8717365154157	16	21	21	15	1	21T-16MM-RMA-RCS-1M	50.2	7
2693216-1.5	8717365154164	16	21	21	15	1.5	21T-16MM-RMA-RCS-1,5M	59.2	7
2693216-2	8717365154171	16	21	21	15	2	21T-16MM-RMA-RCS-2M	68.2	7

2693216-2.5	8717365154188	16	21	21	15	2.5	21T-16MM-RMA-RCS-2,5M	77.2	7
2693216-3	8717365154195	16	21	21	15	3	21T-16MM-RMA-RCS-3M	86.2	7
2693216-3.5	8717365154201	16	21	21	15	3.5	21T-16MM-RMA-RCS-3,5M	95.2	7
2693216-4	8717365154218	16	21	21	15	4	21T-16MM-RMA-RCS-4M	104.2	7