

## Chain sling assy 3-leg REMA-10-RMA-RDG-RCS

### Product information



The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

3 leg REMA-10 chain | masterlink RMA | clevis shortening hook RDG | self locking clevis hook RCS



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality. [... Read more](#)

**Marking:** According to standard, CE-marked

**Standard:** EN 818-7, EN 1677-1, DIN 17115, DIN 5692

**Safety factor:** 4

**Grade:** 10

## Chain sling assy 3-leg REMA-10-RMA-RDG-RCS

### Technical data

Part code	GTIN No.	Chain diameter mm	WLL ton	WLL 0-45° t	WLL 45-60° t	EWL m	Model	Weight kg
2693406-1	8717365154577	6	2.94	2.94	2,1	1	2940KG-6MM-RMA-RDG-RCS-1M	6.5
2693406-1.5	8717365154584	6	2.94	2.94	2,1	1.5	2940KG-6MM-RMA-RDG-RCS-1,5M	7.7
2693406-2	8717365154591	6	2.94	2.94	2,1	2	2940KG-6MM-RMA-RDG-RCS-2M	8.9
2693406-2.5	8717365154607	6	2.94	2.94	2,1	2.5	2940KG-6MM-RMA-RDG-RCS-2,5M	10.1
2693406-3	8717365154614	6	2.94	2.94	2,1	3	2940KG-6MM-RMA-RDG-RCS-3M	11.3
2693406-3.5	8717365154621	6	2.94	2.94	2,1	3.5	2940KG-6MM-RMA-RDG-RCS-3,5M	12.5
2693406-4	8717365154638	6	2.94	2.94	2,1	4	2940KG-6MM-RMA-RDG-RCS-4M	13.7
2693408-1	8717365154645	8	5.25	5.25	3,75	1	5250KG-8MM-RMA-RDG-RCS-1M	11.7
2693408-1.5	8717365154652	8	5.25	5.25	3,75	1.5	5250KG-8MM-RMA-RDG-RCS-1,5M	13.85
2693408-2	8717365154669	8	5.25	5.25	3,75	2	5250KG-8MM-RMA-RDG-RCS-2M	16.2
2693408-2.5	8717365154676	8	5.25	5.25	3,75	2.5	5250KG-8MM-RMA-RDG-RCS-2,5M	18.45
2693408-3	8717365154683	8	5.25	5.25	3,75	3	5250KG-8MM-RMA-RDG-RCS-3M	20.7
2693408-3.5	8717365154690	8	5.25	5.25	3,75	3.5	5250KG-8MM-RMA-RDG-RCS-3,5M	22.95
2693408-4	8717365154706	8	5.25	5.25	3,75	4	5250KG-8MM-RMA-RDG-RCS-4M	25.2
2693410-1	8717365154713	10	8.4	8.4	6	1	8400KG-10MM-RMA-RDG-RCS-1M	20.1
2693410-1.5	8717365154720	10	8.4	8.4	6	1.5	8400KG-10MM-RMA-RDG-RCS-1,5M	23.55
2693410-2	8717365154737	10	8.4	8.4	6	2	8400KG-10MM-RMA-RDG-RCS-2M	27
2693410-2.5	8717365154744	10	8.4	8.4	6	2.5	8400KG-10MM-RMA-RDG-RCS-2,5M	30.45
2693410-3	8717365154751	10	8.4	8.4	6	3	8400KG-10MM-RMA-RDG-RCS-3M	33.9
2693410-3.5	8717365154768	10	8.4	8.4	6	3.5	8400KG-10MM-RMA-RDG-RCS-3,5M	36.3
2693410-4	8717365154775	10	8.4	8.4	6	4	8400KG-10MM-RMA-RDG-RCS-4M	39.75
2693413-1	8717365154782	13	14	14	10,05	1	14T-13MM-RMA-RDG-RCS-1M	36.2
2693413-1.5	8717365154799	13	14	14	10,05	1.5	14T-13MM-RMA-RDG-RCS-1,5M	42.2
2693413-2	8717365154805	13	14	14	10,05	2	14T-13MM-RMA-RDG-RCS-2M	48.2
2693413-2.5	8717365154812	13	14	14	10,05	2.5	14T-13MM-RMA-RDG-RCS-2,5M	54.2
2693413-3	8717365154829	13	14	14	10,05	3	14T-13MM-RMA-RDG-RCS-3M	60.2
2693413-3.5	8717365154836	13	14	14	10,05	3.5	14T-13MM-RMA-RDG-RCS-3,5M	66.2
2693413-4	8717365154843	13	14	14	10,05	4	14T-13MM-RMA-RDG-RCS-4M	72.2
2693416-1	8717365154850	16	21	21	15	1	21T-16MM-RMA-RDG-RCS-1M	62.5
2693416-1.5	8717365154867	16	21	21	15	1.5	21T-16MM-RMA-RDG-RCS-1,5M	71.5
2693416-2	8717365154874	16	21	21	15	2	21T-16MM-RMA-RDG-RCS-2M	80.5

## Chain sling assy 3-leg REMA-10-RMA-RDG-RCS

### Technical data

Part code	GTIN No.	Chain diameter mm	WLL ton	WLL 0-45° t	WLL 45-60° t	EWL m	Model	Weight kg
2693416-2.5	8717365154881	16	21	21	15	2.5	21T-16MM-RMA-RDG-RCS-2,5M	89.5
2693416-3	8717365154898	16	21	21	15	3	21T-16MM-RMA-RDG-RCS-3M	98.5
2693416-3.5	8717365154904	16	21	21	15	3.5	21T-16MM-RMA-RDG-RCS-3,5M	107.5
2693416-4	8717365154911	16	21	21	15	4	21T-16MM-RMA-RDG-RCS-4M	116.5