# Chain sling assy 4-leg REMA-10-RMA-RDG-RCH

**Product information**



The **Rema® 10 assortment** offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

4-leg REMA-10 chain | masterlink RML | clevis shortening hook RDG | clevis sling hook RCH

Each component of this chain sling assembly carries the distinctive**H-84** mark certified by the German DGUV, ensuring a testament to its exceptional quality.

... *Read more*

**Marking:** According to standard, CE-mark
**Standard:** EN 818-7, EN 1677-1, DIN 17115, DIN 5692

**Safety factor:** 4
**Grade:** 10

**REMA Hoisting & Lifting**
info@rema.eu
+31433631777

© November 2026 - All Rights Reserved

REMA® 75 YEARS HOISTING & LIFTING Work made easy.

# Chain sling assy 4-leg REMA-10-RMA-RDG-RCH

## Technical data

| Part code | Code | Diameter mm | WLL ton | WLL 0-45° t | WLL 45-60° t | EWL m | Model | Weight kg |
|---|---|---|---|---|---|---|---|---|
| 2694306-1 | 8717365155628 | 6 | 2.94 | 2.94 | 2,1 | 1 | 2940KG-6MM-RMA-RDG-RCH-1M | 7.4 |
| 2694306-1.5 | 8717365155635 | 6 | 2.94 | 2.94 | 2,1 | 1.5 | 2940KG-6MM-RMA-RDG-RCH-1,5M | 9 |
| 2694306-2 | 8717365155642 | 6 | 2.94 | 2.94 | 2,1 | 2 | 2940KG-6MM-RMA-RDG-RCH-2M | 10.6 |
| 2694306-2.5 | 8717365155659 | 6 | 2.94 | 2.94 | 2,1 | 2.5 | 2940KG-6MM-RMA-RDG-RCH-2,5M | 12.2 |
| 2694306-3 | 8717365155666 | 6 | 2.94 | 2.94 | 2,1 | 3 | 2940KG-6MM-RMA-RDG-RCH-3M | 13.8 |
| 2694306-3.5 | 8717365155673 | 6 | 2.94 | 2.94 | 2,1 | 3.5 | 2940KG-6MM-RMA-RDG-RCH-3,5M | 15.4 |
| 2694306-4 | 8717365155680 | 6 | 2.94 | 2.94 | 2,1 | 4 | 2940KG-6MM-RMA-RDG-RCH-4M | 17 |
| 2694308-1 | 8717365155697 | 8 | 5.25 | 5.25 | 3,75 | 1 | 5250KG-8MM-RMA-RDG-RCH-1M | 14.4 |
| 2694308-1.5 | 8717365155703 | 8 | 5.25 | 5.25 | 3,75 | 1.5 | 5250KG-8MM-RMA-RDG-RCH-1,5M | 17.4 |
| 2694308-2 | 8717365155710 | 8 | 5.25 | 5.25 | 3,75 | 2 | 5250KG-8MM-RMA-RDG-RCH-2M | 20.4 |
| 2694308-2.5 | 8717365155727 | 8 | 5.25 | 5.25 | 3,75 | 2.5 | 5250KG-8MM-RMA-RDG-RCH-2,5M | 23.4 |
| 2694308-3 | 8717365155734 | 8 | 5.25 | 5.25 | 3,75 | 3 | 5250KG-8MM-RMA-RDG-RCH-3M | 26.4 |
| 2694308-3.5 | 8717365155741 | 8 | 5.25 | 5.25 | 3,75 | 3.5 | 5250KG-8MM-RMA-RDG-RCH-3,5M | 29.4 |
| 2694308-4 | 8717365155758 | 8 | 5.25 | 5.25 | 3,75 | 4 | 5250KG-8MM-RMA-RDG-RCH-4M | 32.4 |
| 2694310-1 | 8717365155765 | 10 | 8.4 | 8.4 | 6 | 1 | 8400KG-10MM-RMA-RDG-RCH-1M | 24 |
| 2694310-1.5 | 8717365155772 | 10 | 8.4 | 8.4 | 6 | 1.5 | 8400KG-10MM-RMA-RDG-RCH-1,5M | 28.6 |
| 2694310-2 | 8717365155789 | 10 | 8.4 | 8.4 | 6 | 2 | 8400KG-10MM-RMA-RDG-RCH-2M | 33.2 |
| 2694310-2.5 | 8717365155796 | 10 | 8.4 | 8.4 | 6 | 2.5 | 8400KG-10MM-RMA-RDG-RCH-2,5M | 37.8 |
| 2694310-3 | 8717365155802 | 10 | 8.4 | 8.4 | 6 | 3 | 8400KG-10MM-RMA-RDG-RCH-3M | 42.4 |
| 2694310-3.5 | 8717365155819 | 10 | 8.4 | 8.4 | 6 | 3.5 | 8400KG-10MM-RMA-RDG-RCH-3,5M | 46 |
| 2694310-4 | 8717365155826 | 10 | 8.4 | 8.4 | 6 | 4 | 8400KG-10MM-RMA-RDG-RCH-4M | 51.6 |
| 2694313-1 | 8717365155833 | 13 | 14 | 14 | 10,05 | 1 | 14T-13MM-RMA-RDG-RCH-1M | 39.4 |
| 2694313-1.5 | 8717365155840 | 13 | 14 | 14 | 10,05 | 1.5 | 14T-13MM-RMA-RDG-RCH-1,5M | 47.4 |
| 2694313-2 | 8717365155857 | 13 | 14 | 14 | 10,05 | 2 | 14T-13MM-RMA-RDG-RCH-2M | 55.4 |
| 2694313-2.5 | 8717365155864 | 13 | 14 | 14 | 10,05 | 2.5 | 14T-13MM-RMA-RDG-RCH-2,5M | 63.4 |
| 2694313-3 | 8717365155871 | 13 | 14 | 14 | 10,05 | 3 | 14T-13MM-RMA-RDG-RCH-3M | 71.4 |
| 2694313-3.5 | 8717365155888 | 13 | 14 | 14 | 10,05 | 3.5 | 14T-13MM-RMA-RDG-RCH-3,5M | 79.4 |
| 2694313-4 | 8717365155895 | 13 | 14 | 14 | 10,05 | 4 | 14T-13MM-RMA-RDG-RCH-4M | 87.4 |
| 2694316-1 | 8717365155901 | 16 | 21 | 21 | 15 | 1 | 21T-16MM-RMA-RDG-RCH-1M | 72.9 |
| 2694316-1.5 | 8717365155918 | 16 | 21 | 21 | 15 | 1.5 | 21T-16MM-RMA-RDG-RCH-1,5M | 84.9 |
| 2694316-2 | 8717365155925 | 16 | 21 | 21 | 15 | 2 | 21T-16MM-RMA-RDG-RCH-2M | 96.9 |

**REMA Hoisting & Lifting**
info@rema.eu
+31433631777

© November 2026 - All Rights Reserved

REMA® 75 YEARS HOISTING & LIFTING Work made easy.

# Chain sling assy 4-leg REMA-10-RMA-RDG-RCH

## Technical data

| Part code | Code | Diameter mm | WLL ton | WLL 0-45° t | WLL 45-60° t | EWL m | Model | Weight kg |
|---|---|---|---|---|---|---|---|---|
| 2694316-2.5 | 8717365155932 | 16 | 21 | 21 | 15 | 2.5 | 21T-16MM-RMA-RDG-RCH-2,5M | 108.9 |
| 2694316-3 | 8717365155949 | 16 | 21 | 21 | 15 | 3 | 21T-16MM-RMA-RDG-RCH-3M | 120.9 |
| 2694316-3.5 | 8717365155956 | 16 | 21 | 21 | 15 | 3.5 | 21T-16MM-RMA-RDG-RCH-3,5M | 122.9 |
| 2694316-4 | 8717365155963 | 16 | 21 | 21 | 15 | 4 | 21T-16MM-RMA-RDG-RCH-4M | 136.9 |

REMA Hoisting & Lifting
info@rema.eu
+31433631777
© November 2026 - All Rights Reserved