



Chain sling assy 4-leg REMA-10-RMA-RDG-RCH

Product information



The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

4-leg REMA-10 chain | masterlink RML | clevis shortening hook RDG | clevis sling hook RCH



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality.

Marking: According to standard, CE-marked

Standard: EN 818-7, EN 1677-1, DIN 17115, DIN 5692

Safety factor: 4

Grade: 10

Part code	GTIN No.	Diameter mm	WLL ton	WLL 0-45° t	WLL 45-60° t	EWL m	Model	Weight kg	Delivery time
2694306-1	8717365155628	6	2.94	2.94	2,1	1	2940KG-6MM-RMA-RDG-RCH-1M	7.4	7
2694306-1.5	8717365155635	6	2.94	2.94	2,1	1.5	2940KG-6MM-RMA-RDG-RCH-1,5M	9	7
2694306-2	8717365155642	6	2.94	2.94	2,1	2	2940KG-6MM-RMA-RDG-RCH-2M	10.6	7

2694306-2.5	8717365155659	6	2.94	2.94	2,1	2.5	2940KG-6MM-RMA-RDG-RCH-2,5M	12.2	7
2694306-3	8717365155666	6	2.94	2.94	2,1	3	2940KG-6MM-RMA-RDG-RCH-3M	13.8	7
2694306-3.5	8717365155673	6	2.94	2.94	2,1	3.5	2940KG-6MM-RMA-RDG-RCH-3,5M	15.4	7
2694306-4	8717365155680	6	2.94	2.94	2,1	4	2940KG-6MM-RMA-RDG-RCH-4M	17	7
2694308-1	8717365155697	8	5.25	5.25	3,75	1	5250KG-8MM-RMA-RDG-RCH-1M	14.4	7
2694308-1.5	8717365155703	8	5.25	5.25	3,75	1.5	5250KG-8MM-RMA-RDG-RCH-1,5M	17.4	7
2694308-2	8717365155710	8	5.25	5.25	3,75	2	5250KG-8MM-RMA-RDG-RCH-2M	20.4	7
2694308-2.5	8717365155727	8	5.25	5.25	3,75	2.5	5250KG-8MM-RMA-RDG-RCH-2,5M	23.4	7
2694308-3	8717365155734	8	5.25	5.25	3,75	3	5250KG-8MM-RMA-RDG-RCH-3M	26.4	7
2694308-3.5	8717365155741	8	5.25	5.25	3,75	3.5	5250KG-8MM-RMA-RDG-RCH-3,5M	29.4	7
2694308-4	8717365155758	8	5.25	5.25	3,75	4	5250KG-8MM-RMA-RDG-RCH-4M	32.4	7
2694310-1	8717365155765	10	8.4	8.4	6	1	8400KG-10MM-RMA-RDG-RCH-1M	24	7
2694310-1.5	8717365155772	10	8.4	8.4	6	1.5	8400KG-10MM-RMA-RDG-RCH-1,5M	28.6	7
2694310-2	8717365155789	10	8.4	8.4	6	2	8400KG-10MM-RMA-RDG-RCH-2M	33.2	7
2694310-2.5	8717365155796	10	8.4	8.4	6	2.5	8400KG-10MM-RMA-RDG-RCH-2,5M	37.8	7
2694310-3	8717365155802	10	8.4	8.4	6	3	8400KG-10MM-RMA-RDG-RCH-3M	42.4	7
2694310-3.5	8717365155819	10	8.4	8.4	6	3.5	8400KG-10MM-RMA-RDG-RCH-3,5M	46	7
2694310-4	8717365155826	10	8.4	8.4	6	4	8400KG-10MM-RMA-RDG-RCH-4M	51.6	7
2694313-1	8717365155833	13	14	14	10,05	1	14T-13MM-RMA-RDG-RCH-1M	39.4	7
2694313-1.5	8717365155840	13	14	14	10,05	1.5	14T-13MM-RMA-RDG-RCH-1,5M	47.4	7
2694313-2	8717365155857	13	14	14	10,05	2	14T-13MM-RMA-RDG-RCH-2M	55.4	7
2694313-2.5	8717365155864	13	14	14	10,05	2.5	14T-13MM-RMA-RDG-RCH-2,5M	63.4	7
2694313-3	8717365155871	13	14	14	10,05	3	14T-13MM-RMA-RDG-RCH-3M	71.4	7

2694313-3.5	8717365155888	13	14	14	10,05	3.5	14T-13MM-RMA-RDG-RCH-3,5M	79.4	7
2694313-4	8717365155895	13	14	14	10,05	4	14T-13MM-RMA-RDG-RCH-4M	87.4	7
2694316-1	8717365155901	16	21	21	15	1	21T-16MM-RMA-RDG-RCH-1M	72.9	7
2694316-1.5	8717365155918	16	21	21	15	1.5	21T-16MM-RMA-RDG-RCH-1,5M	84.9	7
2694316-2	8717365155925	16	21	21	15	2	21T-16MM-RMA-RDG-RCH-2M	96.9	7
2694316-2.5	8717365155932	16	21	21	15	2.5	21T-16MM-RMA-RDG-RCH-2,5M	108.9	7
2694316-3	8717365155949	16	21	21	15	3	21T-16MM-RMA-RDG-RCH-3M	120.9	7
2694316-3.5	8717365155956	16	21	21	15	3.5	21T-16MM-RMA-RDG-RCH-3,5M	122.9	7
2694316-4	8717365155963	16	21	21	15	4	21T-16MM-RMA-RDG-RCH-4M	136.9	7