

Chain sling assy 4-leg REMA-10-RMA-RDG-RCS

Product information



The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

4 leg REMA-10 chain | masterlink RMA | clevis shortening hook RDG | self locking clevis hook RCS



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality. [... Read more](#)

Marking: According to standard, CE-marked

Standard: EN 818-7, EN 1677-1, DIN 17115, DIN 5692

Safety factor: 4

Grade: 10

Chain sling assy 4-leg REMA-10-RMA-RDG-RCS

Technical data

Part code	GTIN No.	Diameter mm	WLL ton	WLL 0-45° t	WLL 45-60° t	EWL m	Model	Weight kg
2694406-1	8717365155970	6	2.94	2.94	2,1	1	2940KG-6MM-RMA-RDG-RCS-1M	8.2
2694406-1.5	8717365155987	6	2.94	2.94	2,1	1.5	2940KG-6MM-RMA-RDG-RCS-1,5M	9.8
2694406-2	8717365155994	6	2.94	2.94	2,1	2	2940KG-6MM-RMA-RDG-RCS-2M	11.4
2694406-2.5	8717365156007	6	2.94	2.94	2,1	2.5	2940KG-6MM-RMA-RDG-RCS-2,5M	13
2694406-3	8717365156014	6	2.94	2.94	2,1	3	2940KG-6MM-RMA-RDG-RCS-3M	14.6
2694406-3.5	8717365156021	6	2.94	2.94	2,1	3.5	2940KG-6MM-RMA-RDG-RCS-3,5M	16.2
2694406-4	8717365156038	6	2.94	2.94	2,1	4	2940KG-6MM-RMA-RDG-RCS-4M	17.8
2694408-1	8717365156045	8	5.25	5.25	3,75	1	5250KG-8MM-RMA-RDG-RCS-1M	14.8
2694408-1.5	8717365156052	8	5.25	5.25	3,75	1.5	5250KG-8MM-RMA-RDG-RCS-1,5M	17.8
2694408-2	8717365156069	8	5.25	5.25	3,75	2	5250KG-8MM-RMA-RDG-RCS-2M	20.8
2694408-2.5	8717365156076	8	5.25	5.25	3,75	2.5	5250KG-8MM-RMA-RDG-RCS-2,5M	23.8
2694408-3	8717365156083	8	5.25	5.25	3,75	3	5250KG-8MM-RMA-RDG-RCS-3M	26.8
2694408-3.5	8717365156090	8	5.25	5.25	3,75	3.5	5250KG-8MM-RMA-RDG-RCS-3,5M	29.8
2694408-4	8717365156106	8	5.25	5.25	3,75	4	5250KG-8MM-RMA-RDG-RCS-4M	32.8
2694410-1	8717365156113	10	8.4	8.4	6	1	8400KG-10MM-RMA-RDG-RCS-1M	24.8
2694410-1.5	8717365156120	10	8.4	8.4	6	1.5	8400KG-10MM-RMA-RDG-RCS-1,5M	29.4
2694410-2	8717365156137	10	8.4	8.4	6	2	8400KG-10MM-RMA-RDG-RCS-2M	34
2694410-2.5	8717365156144	10	8.4	8.4	6	2.5	8400KG-10MM-RMA-RDG-RCS-2,5M	38.6
2694410-3	8717365156151	10	8.4	8.4	6	3	8400KG-10MM-RMA-RDG-RCS-3M	43.2
2694410-3.5	8717365156168	10	8.4	8.4	6	3.5	8400KG-10MM-RMA-RDG-RCS-3,5M	47.8
2694410-4	8717365156175	10	8.4	8.4	6	4	8400KG-10MM-RMA-RDG-RCS-4M	52.4
2694413-1	8717365156182	13	14	14	10,05	1	14T-13MM-RMA-RDG-RCS-1M	46.2
2694413-1.5	8717365156199	13	14	14	10,05	1.5	14T-13MM-RMA-RDG-RCS-1,5M	54.2
2694413-2	8717365156205	13	14	14	10,05	2	14T-13MM-RMA-RDG-RCS-2M	62.2
2694413-2.5	8717365156212	13	14	14	10,05	2.5	14T-13MM-RMA-RDG-RCS-2,5M	70.2
2694413-3	8717365156229	13	14	14	10,05	3	14T-13MM-RMA-RDG-RCS-3M	78.2
2694413-3.5	8717365156236	13	14	14	10,05	3.5	14T-13MM-RMA-RDG-RCS-3,5M	86.2
2694413-4	8717365156243	13	14	14	10,05	4	14T-13MM-RMA-RDG-RCS-4M	94.2
2694416-1	8717365156250	16	21	21	15	1	21T-16MM-RMA-RDG-RCS-1M	79.7
2694416-1.5	8717365156267	16	21	21	15	1.5	21T-16MM-RMA-RDG-RCS-1,5M	91.7
2694416-2	8717365156274	16	21	21	15	2	21T-16MM-RMA-RDG-RCS-2M	103.7

Chain sling assy 4-leg REMA-10-RMA-RDG-RCS

Technical data

Part code	GTIN No.	Diameter mm	WLL ton	WLL 0-45° t	WLL 45-60° t	EWL m	Model	Weight kg
2694416-2.5	8717365156281	16	21	21	15	2.5	21T-16MM-RMA-RDG-RCS-2,5M	115.7
2694416-3	8717365156298	16	21	21	15	3	21T-16MM-RMA-RDG-RCS-3M	127.7
2694416-3.5	8717365156304	16	21	21	15	3.5	21T-16MM-RMA-RDG-RCS-3,5M	139.7
2694416-4	8717365156311	16	21	21	15	4	21T-16MM-RMA-RDG-RCS-4M	151.7