

RC stainless steel chain AISI 316 (G6)

Product information



CARTEC

Grade 6 Stainless Steel Chain Slings and components are meticulously crafted using top-tier stainless steel (AISI 316), our slings are not just durable but also versatile. With the availability of individual components, we ensure a sustainable and customizable solution tailored to your specific lifting requirements. Our stainless steel assemblies are trusted across a myriad of industries such as construction, food & beverage, healthcare, aerospace, marine, and beyond.

Utilization Features:

1. **Durability:** Made with premium AISI 316 stainless steel, ensuring longevity and resistance to corrosion.
2. **Versatility:** Suitable for a range of lifting operations with various assembly options.
3. **Safety:** Comes with a CE-mark and a safety factor of 4, ensuring utmost safety during operations.
4. **Adaptability:** Individual component availability for a tailored lifting solution.

Markets/Applications:

- **Construction:** Ideal for heavy-duty lifting and construction site operations.
- **Food & Beverage:** Stainless steel ensures hygiene and cleanliness, making it perfect for food-related lifting tasks.
- **Medical:** Suitable for lifting medical equipment and supplies.
- **Aerospace:** Can be used for lifting aerospace components.
- **Marine:** Resistant to corrosion, making it perfect for marine applications. [... Read more](#)

Material: AISI 316

Marking: According to standard, CE-marked


Standard: EN 818-4

Safety factor: 4

Grade: 6

RC stainless steel chain AISI 316 (G6)

Blueprint



Technical data

Part code	Chain diameter mm	WLL ton	Model	B1 mm	B2 mm	D mm	T mm	Weight kg/m
2686006	6	0.9	RC 6 X 18 MM	8	22.2	6	18	0.58
2686007	7	1.25	RC 7 X 21 MM	9.1	25.9	7	21	1.11
2686008	8	1.6	RC 8 X 24 MM	10.4	29.6	8	24	1.68
2686010	10	2.5	RC 10 X 30 MM	14	37	10	30	3.77
2686013	13	4.25	RC 13 X 39 MM	16.9	48.1	13	39	5.62