

Rema 10 Kettingwerk

Rema 10 ketting 2-sprong samenstellen

Ketting 2-sprong Rema-10 topschalm RML lasthaak met klep RCH



Werklast (kg)	1.960 1.400	3.500 2.500	5.600 4.000	9.380 6.700	14.000 10.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2692106-1	2692108-1	2692110-1	2692113-1	2692116-1
1,5	2692106-1.5	2692108-1.5	2692110-1.5	2692113-1.5	2692116-1.5
2,0	2692106-2	2692108-2	2692110-2	2692113-2	2692116-2
2,5	2692106-2.5	2692108-2.5	2692110-2.5	2692113-2.5	2692116-2.5
3,0	2692106-3	2692108-3	2692110-3	2692113-3	2692116-3
3,5	2692106-3.5	2692108-3.5	2692110-3.5	2692113-3.5	2692116-3.5
4,0	2692106-4	2692108-4	2692110-4	2692113-4	2692116-4

Ketting 2-sprong Rema-10 topschalm RML veiligheidshaak RCS



Werklast (kg)	1.960 1.400	3.500 2.500	5.600 4.000	9.380 6.700	14.000 10.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2692206-1	2692208-1	2692210-1	2692213-1	2692216-1
1,5	2692206-1.5	2692208-1.5	2692210-1.5	2692213-1.5	2692216-1.5
2,0	2692206-2	2692208-2	2692210-2	2692213-2	2692216-2
2,5	2692206-2.5	2692208-2.5	2692210-2.5	2692213-2.5	2692216-2.5
3,0	2692206-3	2692208-3	2692210-3	2692213-3	2692216-3
3,5	2692206-3.5	2692208-3.5	2692210-3.5	2692213-3.5	2692216-3.5
4,0	2692206-4	2692208-4	2692210-4	2692213-4	2692216-4

Ketting 2-sprong Rema-10 topschalm RML inkorthaak RDG lasthaak met klep RCH



Werklast (kg)	1.960 1.400	3.500 2.500	5.600 4.000	9.380 6.700	14.000 10.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2692306-1	2692308-1	2692310-1	2692313-1	2692316-1
1,5	2692306-1.5	2692308-1.5	2692310-1.5	2692313-1.5	2692316-1.5
2,0	2692306-2	2692308-2	2692310-2	2692313-2	2692316-2
2,5	2692306-2.5	2692308-2.5	2692310-2.5	2692313-2.5	2692316-2.5
3,0	2692306-3	2692308-3	2692310-3	2692313-3	2692316-3
3,5	2692306-3.5	2692308-3.5	2692310-3.5	2692313-3.5	2692316-3.5
4,0	2692306-4	2692308-4	2692310-4	2692313-4	2692316-4

Ketting 2-sprong Rema-10 topschalm RML inkorthaak RDG veiligheidshaak RCS



Werklast (kg)	1.960 1.400	3.500 2.500	5.600 4.000	9.380 6.700	14.000 10.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2692306-1	2692308-1	2692310-1	2692313-1	2692316-1
1,5	2692306-1.5	2692308-1.5	2692310-1.5	2692313-1.5	2692316-1.5
2,0	2692306-2	2692308-2	2692310-2	2692313-2	2692316-2
2,5	2692306-2.5	2692308-2.5	2692310-2.5	2692313-2.5	2692316-2.5
3,0	2692306-3	2692308-3	2692310-3	2692313-3	2692316-3
3,5	2692306-3.5	2692308-3.5	2692310-3.5	2692313-3.5	2692316-3.5
4,0	2692306-4	2692308-4	2692310-4	2692313-4	2692316-4

Rema 10 Kettingwerk**Rema 10 ketting 3-sprong samenstellen****Ketting 3-sprong Rema-10 topschalm RMA lasthaak met klep RCH**

Werklast (kg)	2.940 2.100	5.250 3.750	8.400 6.000	14.000 10.050	21.000 15.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2693106-1	2693108-1	2693110-1	2693113-1	2693116-1
1,5	2693106-1.5	2693108-1.5	2693110-1.5	2693113-1.5	2693116-1.5
2,0	2693106-2	2693108-2	2693110-2	2693113-2	2693116-2
2,5	2693106-2.5	2693108-2.5	2693110-2.5	2693113-2.5	2693116-2.5
3,0	2693106-3	2693108-3	2693110-3	2693113-3	2693116-3
3,5	2693106-3.5	2693108-3.5	2693110-3.5	2693113-3.5	2693116-3.5
4,0	2693106-4	2693108-4	2693110-4	2693113-4	2693116-4

Ketting 3-sprong Rema-10 topschalm RMA veiligheidshaak RCS

Werklast (kg)	2.940 2.100	5.250 3.750	8.400 6.000	14.000 10.050	21.000 15.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2693206-1	2693208-1	2693210-1	2693213-1	2693216-1
1,5	2693206-1.5	2693208-1.5	2693210-1.5	2693213-1.5	2693216-1.5
2,0	2693206-2	2693208-2	2693210-2	2693213-2	2693216-2
2,5	2693206-2.5	2693208-2.5	2693210-2.5	2693213-2.5	2693216-2.5
3,0	2693206-3	2693208-3	2693210-3	2693213-3	2693216-3
3,5	2693206-3.5	2693208-3.5	2693210-3.5	2693213-3.5	2693216-3.5
4,0	2693206-4	2693208-4	2693210-4	2693213-4	2693216-4

Ketting 3-sprong Rema-10 topschalm RMA inkorthaak RDG lasthaak met klep RCH

Werklast (kg)	2.940 2.100	5.250 3.750	8.400 6.000	14.000 10.050	21.000 15.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2693306-1	2693308-1	2693310-1	2693313-1	2693316-1
1,5	2693306-1.5	2693308-1.5	2693310-1.5	2693313-1.5	2693316-1.5
2,0	2693306-2	2693308-2	2693310-2	2693313-2	2693316-2
2,5	2693306-2.5	2693308-2.5	2693310-2.5	2693313-2.5	2693316-2.5
3,0	2693306-3	2693308-3	2693310-3	2693313-3	2693316-3
3,5	2693306-3.5	2693308-3.5	2693310-3.5	2693313-3.5	2693316-3.5
4,0	2693306-4	2693308-4	2693310-4	2693313-4	2693316-4

Ketting 3-sprong Rema-10 topschalm RMA inkorthaak RDG veiligheidshaak RCS

Werklast (kg)	2.940 2.100	5.250 3.750	8.400 6.000	14.000 10.050	21.000 15.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2693406-1	2693408-1	2693410-1	2693413-1	2693416-1
1,5	2693406-1.5	2693408-1.5	2693410-1.5	2693413-1.5	2693416-1.5
2,0	2693406-2	2693408-2	2693410-2	2693413-2	2693416-2
2,5	2693406-2.5	2693408-2.5	2693410-2.5	2693413-2.5	2693416-2.5
3,0	2693406-3	2693408-3	2693410-3	2693413-3	2693416-3
3,5	2693406-3.5	2693408-3.5	2693410-3.5	2693413-3.5	2693416-3.5
4,0	2693406-4	2693408-4	2693410-4	2693413-4	2693416-4

Rema 10 Kettingwerk

Rema 10 ketting 4-sprong samenstellen

Ketting 4-sprong Rema-10 topschalm RMA lasthaak met klep RCH



Werklast (kg)	2.940 2.100	5.250 3.750	8.400 6.000	14.000 10.050	21.000 15.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2694106-1	2694108-1	2694110-1	2694113-1	2692416-1
1,5	2694106-1.5	2694108-1.5	2694110-1.5	2694113-1.5	2692416-1.5
2,0	2694106-2	2694108-2	2694110-2	2694113-2	2692416-2
2,5	2694106-2.5	2694108-2.5	2694110-2.5	2694113-2.5	2692416-2.5
3,0	2694106-3	2694108-3	2694110-3	2694113-3	2692416-3
3,5	2694106-3.5	2694108-3.5	2694110-3.5	2694113-3.5	2692416-3.5
4,0	2694106-4	2694108-4	2694110-4	2694113-4	2692416-4

Ketting 4-sprong Rema-10 topschalm RMA veiligheidshaak RCS



Werklast (kg)	2.940 2.100	5.250 3.750	8.400 6.000	14.000 10.050	21.000 15.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2694206-1	2694208-1	2694210-1	2694213-1	2694216-1
1,5	2694206-1.5	2694208-1.5	2694210-1.5	2694213-1.5	2694216-1.5
2,0	2694206-2	2694208-2	2694210-2	2694213-2	2694216-2
2,5	2694206-2.5	2694208-2.5	2694210-2.5	2694213-2.5	2694216-2.5
3,0	2694206-3	2694208-3	2694210-3	2694213-3	2694216-3
3,5	2694206-3.5	2694208-3.5	2694210-3.5	2694213-3.5	2694216-3.5
4,0	2694206-4	2694208-4	2694210-4	2694213-4	2694216-4

Ketting 4-sprong Rema-10 topschalm RMA inkorthaak RDG lasthaak met klep RCH



Werklast (kg)	2.940 2.100	5.250 3.750	8.400 6.000	14.000 10.050	21.000 15.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2694306-1	2694308-1	2694310-1	2694313-1	2694316-1
1,5	2694306-1.5	2694308-1.5	2694310-1.5	2694313-1.5	2694316-1.5
2,0	2694306-2	2694308-2	2694310-2	2694313-2	2694316-2
2,5	2694306-2.5	2694308-2.5	2694310-2.5	2694313-2.5	2694316-2.5
3,0	2694306-3	2694308-3	2694310-3	2694313-3	2694316-3
3,5	2694306-3.5	2694308-3.5	2694310-3.5	2694313-3.5	2694316-3.5
4,0	2694306-4	2694308-4	2694310-4	2694313-4	2694316-4

Ketting 4-sprong Rema-10 topschalm RMA inkorthaak RDG veiligheidshaak RCS



Werklast (kg)	2.940 2.100	5.250 3.750	8.400 6.000	14.000 10.050	21.000 15.000
Lengte (m)	6 mm	8 mm	10 mm	13 mm	16 mm
1,0	2694406-1	2694408-1	2694410-1	2694413-1	2694416-1
1,5	2694406-1.5	2694408-1.5	2694410-1.5	2694413-1.5	2694416-1.5
2,0	2694406-2	2694408-2	2694410-2	2694413-2	2694416-2
2,5	2694406-2.5	2694408-2.5	2694410-2.5	2694413-2.5	2694416-2.5
3,0	2694406-3	2694408-3	2694410-3	2694413-3	2694416-3
3,5	2694406-3.5	2694408-3.5	2694410-3.5	2694413-3.5	2694416-3.5
4,0	2694406-4	2694408-4	2694410-4	2694413-4	2694416-4